



D2.2 | Residential + Commercial

Union Square Revitalization

Somerville, MA

Design Review Committee

08.20.2018

PROJECT TEAM

Owner:

Union Square RELP
Master Developer LLC (US2)
31 Union Square
Somerville, MA. 02143

Designer:

Howeler + Yoon Architecture LLP
150 Lincoln Street, 3A
Boston, MA. 02111

Structural Engineer:

Odeh Engineers, Inc.
1223 Mineral Spring Ave.
North Providence, RI. 02904

LEED Consultant:

db, HMS
303 W Erie St, Suite 510
Chicago, IL 60654

Retail Consultant:

Graffito SP
108 Lincoln Street
Boston, MA. 02111


Traffic Engineer:

Stantec
226 Causeway Street, 6th Floor
Boston, Massachusetts
02114-2155



Architect:

bKL Architecture LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601



Landscape:

Ground, Inc.
285 Washington Street, #G
Somerville, MA. 02143



MEP Engineer:

R.W. Sullivan Engineers
The Schrafft's City Center
529 Main St., Suite 203
Boston, MA. 02129



DRAWINGS LIST

D2.2- G000	DRAWING LIST + CONTACTS
D2.2- G001	DESIGN NARRATIVE
D2.2- G100	LOCUS MAP
D2.2- G101	LOCUS MAP
D2.2- G200	CONTEXT PHOTOGRAPHS
D2.2- G201	CONTEXT PHOTOGRAPHS
D2.2- G202	CONTEXT PERSPECTIVE
D2.2- G300	CONTEXT ANALYSIS- EXISTING
D2.2- G301	CONTEXT ANALYSIS- PROPOSED
D2.2- G400	ZONING MAP
D2.2- A100	PROPOSED SITE PLAN
D2.2- A400	FACADE STUDIES
D2.2- A500	BUILDING ELEVATIONS
D2.2- A501	BUILDING ELEVATIONS
D2.2- A502	BUILDING ELEVATIONS
D2.2- A503	BUILDING ELEVATIONS
D2.2- A510	FACADE ARTICULATION HORIZONTAL
D2.2- A520	FENESTRATION ANALYSIS
D2.2- A550	GROUND LEVEL DESIGN
D2.2- A560	GROUND LEVEL PERSPECTIVE
D2.2- A561	GROUND LEVEL PERSPECTIVE
D2.2- A561	GROUND LEVEL PERSPECTIVE
D2.2- A700	MATERIALS
D2.2- A710	MATERIAL PERSPECTIVES
D2.2- A710	MATERIAL PERSPECTIVES
D2.2- A900	SCREENING DETAILS
D2.2- A901	SCREENING DETAILS
D2.2- A910	HORIZONTAL FACADE DESIGN DETAIL
D2.2- L100	PROPOSED LANDSCAPE PLAN
D2.2- L200	SITE CIRCULATION
D2.2- L210	SITE CIRCULATION
D2.2- L300	PROPOSED LIGHTING
D2.2- L900	SITE FURNISHINGS
D2.2- X000	ZONING NARRATIVE
D2.2- X001	ZONING NARRATIVE
D2.2- X002	ZONING NARRATIVE
D2.2- X003	ZONING NARRATIVE
D2.2- X004	ZONING NARRATIVE
D2.2- X005	ZONING NARRATIVE
D2.2- X006	ZONING NARRATIVE

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER
UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER
HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
CONSULTANT LIST + CONTACTS

DRAWING NUMBER
D2.2- G000

DESIGN INTENT


A vibrant community within a mixed-use hub

The D2.3 tower and D2.2 mid-rise bar building will provide new opportunities to live, work, and play all in Union Square. The combined 450 mixed-income units, including 90 permanently affordable units, will attract a vibrant community of residents who desire both easy access to public transport and proximity to the cultural richness of the Square. Additional program components will serve both residents and the community at large: public parking, active ground-level retail, arts and creative space, a publicly accessible dog run, and new civic space that will reflect the multi-modal character of the neighborhood. The design of all of these new amenities will reflect the inventive and playful spirit of Union Square.

Connecting station to square

The path from the Union Square Station to the center of Union Square stretches 600 feet; the D2.3 tower, D2.2 mid-rise, and fronting civic spaces are all designed in concert to activate the transition from station to square. The combined massing of D2.2 and 2.3 peels back from Prospect Street, affording visibility to the station and leaving a generous green buffer between the plaza and street.

Inflections in the massing of both tower and mid-rise building produce a dynamic, sculptural effect, helping to break down the scale of each volume. At the ground level, these inflections provide pockets of space for different types of activity along the length of the plaza. Each building features a retail-dominated ground floor, with plenty of transparency to showcase active uses inside.




A friendly neighbor

The 6-story mid-rise bar building on the D2.2 lot presents a more restrained counterpoint to the exuberant expression of neighboring D2.1 and D2.3. The trabeated tectonic of D2.2's facade unifies its five residential stories into three bands, evoking the traditional Somerville triple-decker prevalent in Wards 2 and 3. At the street level, a band of retail spaces will feature rich but subdued materials, keeping the focus on retail displays and shop interiors.

Access corridors will provide pedestrian pathways from both Prospect Street and the Arrival Court into the rear parking structure. Visible along the rear service corridor ("access alley"), this structure will receive a distinct facade treatment to articulate separation between distinct programmatic volumes. A combination of solid and louvered panels will provide visual interest while shielding neighboring residential blocks from excess light pollution. Where D2.2's residential stories extends over-top of the parking, they will set back from the lot line to provide additional light, and privacy, and planting opportunities.

A sense of arrival

A planned arrival court between D2.2 and D2.1 opens generously to the west, inviting afternoon sun deeper into the site and providing attractive seating areas near the retail frontage that wraps the northwest corner of D2.2. Bollards mark off a lay-by lane adjacent to the north lobby, which draws ride-share drop-offs away from busy Prospect Street. Raised "tabletop" paving continues the plaza's paving pattern through the block, lending the court a civic character that prioritizes the pedestrian and elevates the safety of the public realm.



PROJECT INFORMATION

Building Type: General Building
Use Category: Residential/ Retail

Total Gross Floor Area: 511, 848 GSF
(Includes Parking, D2.2, + D2.3)

Height: 76'-8"
Number of Floors: 25

Parking Count: 300 Spaces

Loading Bays: 02

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER
UNION SQUARE RLP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC


SEAL



DESIGNER
HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
DESIGN NARRATIVE

DRAWING NUMBER
D2.2- G001



D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER

HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE

LOCUS MAP

DRAWING NUMBER

D2.2- G100



D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RLP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER

HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
LOCUS MAP

DRAWING NUMBER

D2.2- G101




- A | View from Prospect Street facing north
- B | View from Prospect Street overpass facing east
- C | View from Site facing south
- D | View from Prospect Street facing north east
- E | View from the D2 site looking towards the back of Allen St. property
- F | View from Prospect Hill Monument
- G | View from Allen Street facing west



D2.2

UNION SQUARE
SOMERVILLE, MA




OWNER
UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER
HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
CONTEXT PHOTOGRAPHS

DRAWING NUMBER
D2.2- G200



Aerial view looking south east towards Downtown Boston

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER
UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER
HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
CONTEXT PHOTOGRAPHS

DRAWING NUMBER
D2.2- G201



Aerial view looking south east towards Downtown Boston

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER
UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC


SEAL



DESIGNER
HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
CONTEXT PERSPECTIVE

DRAWING NUMBER
D2.2- G202



D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RLP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL




DESIGNER

HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
CONTEXT ANALYSIS- EXISTING

DRAWING NUMBER

D2.2- G300



D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL




DESIGNER

HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
CONTEXT ANALYSIS- PROPOSED

DRAWING NUMBER

D2.2- G301



D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

DESIGNER

HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999


SHEET TITLE
ZONING MAP

DRAWING NUMBER


D2.2- G400

1 D2 SETBACK PLAN DIAGRAM
1" = 60'-0"





- FOH
- CIRCULATION
- PARKING AND LOADING
- BOH
- RETAIL
- OUTDOOR AMENITY
- MBTA



1 LEVEL 01 (P1) FLOOR PLAN
1" = 30'-0"

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER
UNION SQUARE RLP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

DESIGNER
HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL




ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

SHEET TITLE
PROPOSED SITE PLAN

DRAWING NUMBER
D2.2- A100



2 D2.2- WEST ELEVATION
1" = 30'-0"



1 D2.2- SOUTH ELEVATION
1" = 30'-0"

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RLP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL




DESIGNER

HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
BUILDING ELEVATIONS

DRAWING NUMBER

D2.2- A500



2 D2.2- NORTH ELEVATION
1" = 30'-0"



1 D2.2- EAST ELEVATION
1" = 30'-0"

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER

HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
BUILDING ELEVATIONS

DRAWING NUMBER
D2.2- A501

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER
UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC



SEAL



DESIGNER
HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
FACADE ARTICULATION

DRAWING NUMBER
D2.2- A510




1 D2.2- WEST ELEVATION
1" = 30'-0"

Required Fenestration at Ground Floor Primary = 70% min.

Designed Fenestration at Ground Floor Primary = 70%

Required Fenestration at Upper Floors = 20% min - 50% max

Designed Fenestration at Levels 2-6= 26.8%



1 D2.2- WEST ELEVATION
1" = 30'-0"

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER

HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101


SHEET TITLE
FENESTRATION ANALYSIS

DRAWING NUMBER

D2.2- A520



West elevation along Prospect Street



Ground level plan at Civic A along Prospect Street



Civil A View looking south



Civic A view looking north

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER

HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
GROUND LEVEL DESIGN

DRAWING NUMBER

D2.2- A550



View along Civic A walking south towards the MBTA Station

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER
UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER
HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
GROUND LEVEL PERSPECTIVE

DRAWING NUMBER
D2.2- A560



View along Prospect Street looking north towards the Historic Post Office

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER
UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER
HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
GROUND LEVEL PERSPECTIVE

DRAWING NUMBER
D2.2- A561



View along the new access alley looking south

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER
UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER
HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
GROUND LEVEL PERSPECTIVE

DRAWING NUMBER
D2.2- A562



OWNER
UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC


SEAL



DESIGNER
HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
MATERIALS

DRAWING NUMBER
D2.2- A700




METAL PANEL
WALL TYPE- 01



METAL PANEL
WALL TYPE- 02



ALUMINUM METAL LOUVERS
WALL TYPE- 03



METAL PANEL
WALL TYPE- 04



ENGINEERED WOOD
WALL TYPE- 01A



EQUITONE PANELS
WALL TYPE- 02B



FIBERGLASS WINDOWS
WINDOW TYPE- 01



ALUMINUM STORE FRONT
WINDOW TYPE- 02



View along Prospect Street looking east

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER

HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
MATERIAL PERSPECTIVE

DRAWING NUMBER


D2.2- A710



Rooftop mechanical screen



Parking garage screen



East- West Site section through the parking garage



Parking screen study 01



Parking screen study 02



Parking screen study 03



Parking screen study 01a



Parking screen study 02a



Parking screen study 03a

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER
UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER
HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
SCREENING DETAILS

DRAWING NUMBER
D2.2- A900



D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER
UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC


SEAL



LANDSCAPE
Ground Inc.
285 Washington Street, #G
Somerville, MA. 02143
T 617.718.0889

SHEET TITLE
PROPOSED LANDSCAPE PLAN

DRAWING NUMBER
D2.2- L100



D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER
UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC


SEAL





DESIGNER
HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101


SHEET TITLE
SITE CIRCULATION

DRAWING NUMBER
D2.2- L200

 PEDESTRIAN

 BIKE

 MBTA



D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER
UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER
HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
SITE CIRCULATION

DRAWING NUMBER
D2.2- L201



01

Furnishings List - Lighting

D2.2
UNION SQUARE
SOMERVILLE, MA



OWNER
UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC


SEAL



LANDSCAPE
Ground Inc.
285 Washington Street, #G
Somerville, MA. 02143
T 617.718.0889

SHEET TITLE
PROPOSED LIGHTING

DRAWING NUMBER
D2.2- L300



Movable Tables and Chairs



Bollard



Bike Rack



Litter Receptacle

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL

ground

LANDSCAPE

Ground Inc.
285 Washington Street, #G
Somerville, MA. 02143
T 617.718.0889

SHEET TITLE
SITE FURNISHINGS

DRAWING NUMBER

D2.2- L900

ARCHITECTURAL DESIGN GUIDELINES

6.7.5.D.4.c.ii.b.1.a:


General Design Review Criteria- Buildings

The prioritization of ground floor space for commercial uses rather than lobbies to upper story uses.

Architectural Response

The ground level use is primarily retail

See Drawing(s) D2.2- A100



6.7.5.D.4.c.ii.b.1.b:


General Design Review Criteria- Buildings

The continuity of the street wall and spatial definition of the public realm by the building facade in relationship to neighboring buildings.

Architectural Response

The ground level is comprised of a continuous ribbon of retail, arts + creative program creating a connection to Union Square

See Drawing(s) D2.2- A100, A560



6.7.5.D.4.c.ii.b.1.c:


General Design Review Criteria- Buildings

The location, alignment, and massing techniques of high-rise elements to mitigate shadow impacts cast on nearby sites or on-site activities, reduce impacts on view corridors, and increase the actual or perceived separation distance between towers.

Architectural Response

The building has been pushed back from Prospect street to create a usable public civic space, and preserve views to local monuments such as the Prospect Hill Monument.

See Drawing(s) D2.2- A560



6.7.5.D.4.c.ii.b.1.d:

General Design Review Criteria- Buildings

The local micro-climate including pedestrian level winds, weather protection, air quality, the reflection of sunlight, and the casting of shadows.

Architectural Response

In progress, and will be addressed in further detail with the DSPR application

6.7.10.H.1.a.i:

Architectural Design Guidelines- Vertical and Horizontal Articulation

Building facades should be vertically articulated with Architectural Bays to visually break down and minimize the apparent mass of buildings, shorten the perception of distance/length, provide structure to the composition and disposition of fenestration, enhance pedestrian orientation, and add visual interest to the public realm.

Architectural Response

The building's massing is split into two elements, thus reducing the perceived length of the bar, by folding the geometry

See Drawing(s) D2.2- A510, 710



6.7.10.H.1.a.ii:

Architectural Design Guidelines- Vertical and Horizontal Articulation

Architectural bays should be derived, in general, from the building's structural bay spacing.

Architectural Response

The architectural bays are coordinated to respect the structural bays

See Drawing(s) D2.2- A500



6.7.10.H.1.a.iii:

Architectural Design Guidelines- Vertical and Horizontal Articulation

Architectural bays should have buttresses, pilasters, columns, or piers that extend either all the way to the ground or to the cornice and sign band of ground level storefronts.

Architectural Response

The vertical elements are connected to the experience at the ground level by carrying some of that textural language to the storefronts

See Drawing(s) D2.2- A500



6.7.10.H.1.a.iv:

Architectural Design Guidelines- Vertical and Horizontal Articulation

Architectural bays should align, in general, with individual or groups of storefront and lobby entrance frontages of the ground story of a building.

Architectural Response

The vertical elements are connected to the experience at the ground level by carrying some of that textural language to the storefronts

See Drawing(s) D2.2- A500



D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RLP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER

HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
ZONING NARRATIVE

DRAWING NUMBER


D2.2- X000

6.7.10.H.1.a.v:
Architectural Design Guidelines-
Vertical and Horizontal Articulation

Building facades should be horizontally articulated with a clearly defined base, middle, and top. Visual differentiation between the base, middle, and top should be achieved using a cornice, band, or other architectural features(s) that visually indicates a horizontal line of expression and creates surface relief, depth, and shadow.

Architectural Response
The base, middle, and top are defined by the ground level storefront, and the packaged windows above

See Drawing(s) D2.2- A510, 710



6.7.10.H.1.a.vi:
Architectural Design Guidelines-
Vertical and Horizontal Articulation

In most circumstances, the vertical buttresses, pilasters, columns, or piers of Architectural Bays should always project further and be uninterrupted by any horizontal elements of a façade, excluding the cornice, band, or other architectural feature(s) used to differentiate the base, middle, and top of a building from one another.

Architectural Response
The vertical facade panels are projected beyond the glazing line, and are packaged over the course of several floors delineating the base, middle, and top of the tower.

See Drawing(s) D2.2- A560



6.7.10.H.2.b.i:
Fenestration

Changes in fenestration patterns should be used to help differentiate the base, middle, and top of buildings.

Architectural Response
The packages of the facade panels shift horizontally to define base, middle, and top

See Drawing(s) D2.2- A500, A710



6.7.10.H.2.b.ii:
Fenestration

Within the base, middle, and top of a building, Fenestration should align vertically within each architectural bay and horizontally across each story of a building.

Architectural Response
The fenestration is aligned horizontally and vertically within each package of multiple floors.

See Drawing(s) D2.2- A500, A711



6.7.10.H.2.b.iii:
Fenestration

Upper stories should have a window to wall area proportion that is lower than that of the ground floor.

Architectural Response
The upper stories have a 26.8% window cover, and the ground level has an 70% window cover.

See Drawing(s) D2.2- A520



6.7.10.H.2.b.iv:
Fenestration

Windows should be punched into walls and glass should be inset from exterior wall surfaces.

Architectural Response
The fenestration is set back from the facade cladding

See Drawing(s) D2.2- A701



6.7.10.H.2.b.v:
Fenestration

Series of windows set side by side to form a continuous horizontal band across a facade (aka 'ribbon windows') should be avoided.

Architectural Response
The facade composition does not include a ribbon window

See Drawing(s) D2.2- A500



6.7.10.H.2.b.vi:
Fenestration

Solid wall materials should be used to frame groups of windows to reduce the perceived scale of a building.

Architectural Response
The facade cladding is organized into vertical strips which frame groups of windows disguising the perceived height of the building.

See Drawing(s) D2.2- A710



D2.2
UNION SQUARE
SOMERVILLE, MA



OWNER
UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT
bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER
HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
ZONING NARRATIVE

DRAWING NUMBER
D2.2- X001

6.7.10.H.2.c.i:


Materials

The palette of wall materials and colors used for a building should be kept to a minimum, preferably three. Similar wall materials as found on adjacent or nearby buildings should be used to strengthen district character and provide continuity and unity between buildings of divergent size, scale, and architectural styles.

Architectural Response

The facade is primarily composed of three materials (e.g. glass, metal panel, and steel accents).

See Drawing(s) D2.2- A700



6.7.10.H.2.c.ii:

Materials

Acceptable wall materials include architectural concrete or precast concrete panels, natural or cast stone, curtain wall and heavy gage metal panel, and brick. Value added materials such as natural or cast stone, concrete, glazed or unglazed architectural terracotta, and brick should be used as wall materials where pedestrians closely encounter and interact with buildings.

Architectural Response

Final material selection subject to continued evaluation. Acceptable materials will be specified.

6.7.10.H.2.c.iii:

Materials

Exterior Insulation and Finish Systems (EIFS) should never be used for the base of a building..

Architectural Response

The facade cladding does not include EIFS.

6.7.10.H.2.c.iv:

Materials

Horizontal or vertical board siding and shingles, whether wood, metal, plastic (vinyl), masonry, or composite materials, should only be used for smaller scale apartment buildings.

Architectural Response

The facade cladding does not include siding or shingles.

6.7.10.H.2.c.v:

Materials

Two or more wall materials should be combined only one above the other. Wall materials appearing heavier in weight should be used below wall materials appearing lighter in weight.

Architectural Response

Vertical articulation extend to the ground plane, driving visual weight to the tower base.

See Drawing(s) D2.2- A560, A900



6.7.10.H.2.c.vi:

Materials

Building wall materials that are lighter in color, tint, or shade should be used for the lower floors of a building, with materials darker in color, tint, or shade used above.

Architectural Response

An increase in density of vertical articulation towards the tower top lightens the perception of lower levels through increased opacity.



6.7.10.H.2.c.vii:


Materials

If a building's massing and pattern of fenestration is complex, simple or flat wall materials should be used; if a building's massing and pattern of fenestration is simple, walls should include additional texture and surface relief.

Architectural Response

The geometry of the massing is simple, but the articulation of the facade has a complex texture providing an element of surprise.

See Drawing(s) D2.2- G001, A700



6.7.10.H.2.c.viii:

Materials

Side and rear building elevations that are visible from the public realm should have a level of trim and finish that is compatible with the façade of the building.

Architectural Response

The side and rear elevations facing the thoroughfares and alleys have an equal or similar level of articulation as the primary facades.

See Drawing(s) D2.2- A900



6.7.10.H.2.d.i:

Storefronts

The design of storefronts should invite interaction, enliven the pedestrian environment, and provide a secondary, more intimate source of lighting at night.

Architectural Response

The storefront along the south west corner of the tower provides opportunity for direct engagement with the civic plaza and every day pedestrian traffic. The high floor to floor and full height glazing will provide ample lighting in the evening from the interior minimizing the requirement for exterior lighting.

See Drawing(s) D2.2- A550, A560



6.7.10.H.2.d.ii:

Storefronts

Monotonous and repetitive storefront and sign designs and types should be avoided.

Architectural Response

The ground level facade is composed of a variety of standard window sizes organized in a manner which reduces a monotonous repetition

See Drawing(s) D2.2- A500, A550



D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RLP
MASTER DEVELOPER LLC (US2)

31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER

HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
ZONING NARRATIVE

DRAWING NUMBER

D2.2- X002

6.7.10.H.2.d.iii:


Storefronts

Where a pedestrian street intersects with a side street, commercial spaces should wrap the corner and include at least one storefront bay on the side street.

Architectural Response

The retail at the ground level continues along the south facade of the tower facing the MBTA station

See Drawing(s) D2.2- A550, A560



6.7.10.H.2.d.iv:

Storefronts

A paneled or rendered stallriser at least one (1) foot in height should be included below display windows.

Architectural Response

A stallriser is provided below all storefront without direct access to the Civic Space

Design guidelines will be developed for future retail users to promote architectural diversity and to allow identity of the retailer to activate the street level pedestrian experience.

See Drawing(s) D2.2- A550



6.7.10.H.2.d.v:

Storefronts

Where height permits, transom windows should be included above storefront doors and display windows to allow additional natural daylight to penetrate into the interior space.

Architectural Response

The storefronts have a high floor to floor ceiling allowing for ample transom windows provides greater access to natural light

See Drawing(s) D2.2- A550, A560



6.7.10.H.2.d.vi:

Storefronts

Awnings are encouraged for each storefront to provide weather protection for pedestrians and reduce glare for storefront display areas. Awnings should be open-ended, and operable.

Architectural Response

Slender canopies extend from the facade to provide shelter to those entering or exiting the building.

Design guidelines will be developed for future retail users to promote architectural diversity and to allow identity of the retailer to activate the street level pedestrian experience.

See Drawing(s) D2.2- A560



6.7.10.H.2.d.vii:

Storefronts

Bi-fold glass windows and doors and other storefront systems that open to permit a flow of customers between interior and exterior space are encouraged.

Architectural Response

Design guidelines will be developed for future retail users to promote architectural diversity and to allow identity of the retailer to activate the street level pedestrian experience.

See Drawing(s) D2.2- A550



6.7.10.H.2.e.i:

Entrances

Principal entrances should be optimally located, well defined, clearly visible, and universally accessible from the adjacent sidewalk.

Architectural Response

The primary entries are framed and sometimes recessed to create a contrast to the primary facade

See Drawing(s) D2.2- A560



6.7.10.H.2.e.ii:


Entrances

Each ground floor use should have an individual entrance with direct access onto a sidewalk.

Architectural Response

The primary entries are located adjacent to the civic plazas

See Drawing(s) D2.2- A560



6.7.10.H.2.e.iii:


Entrances

Storefront doors should not obstruct pedestrians walking past or alongside a building.

Architectural Response

The primary circulation for the plaza is located down the center allowing sufficient space for retail access to be unobstructed

See Drawing(s) D2.2- A550, A560



D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER

HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
ZONING NARRATIVE

DRAWING NUMBER

D2.2- X003

6.7.10.H.2.f.i:

Details

Exterior lighting (building, storefront, and landscape) should be integrated into the design of the building, create a sense of safety, and encourage pedestrian activity at night through layers of light that contribute to the nighttime experience.

Architectural Response

The primary lighting for the public realm will be discreetly integrated with the landscape design, and the interior glow from the storefront windows will provide additional lighting for passers-by.

See Drawing(s) D2.2- L300



6.7.10.H.2.f.ii:

Details

Exterior lighting should relate to pedestrians and accentuate major architectural or landscape features, but should be shielded to reduce glare and eliminate light being cast into the night sky.

Architectural Response

Exterior lighting will be organized to minimize light pollution while providing safety and security to enhance the user's experience

See Drawing(s) D2.2- L300



6.7.10.H.2.f.iii:

Details

The upper portions of buildings, especially high-rise buildings, should provide visual interest and a variety in detail and texture to the skyline.

Architectural Response

The tower will not only be the new gateway to Union Square for those arriving by MBTA, but it is a new landmark which also serves as a way-finding device to the MBTA and Union Square.

See Drawing(s) D2.2- G202



6.7.10.H.2.f.iv:


Details

Mechanical and utility equipment should be integrated into the architectural design of the building or screened from public view. Penthouses should be integrated with the buildings architecture, and not appear as foreign structures unrelated to the building they serve. The proportion of screening to the rest of the building should be taken into consideration.

Architectural Response

The mechanical penthouse is screened from public view, and integrated into the facade system.

See Drawing(s) D2.2- A900



6.7.10.H.2.f.v:


Details

To every extent practicable, rooftop mechanical equipment should be centered in the roof area to limit its visibility from adjacent thoroughfares. Consideration should be given to the tradeoffs of individual or bundled stacks and requirements of uses internal to the building.

Architectural Response

The elevator core is recessed and centered on the bar building roof to conceal it from public view

See Drawing(s) D2.2- A900



6.7.10.H.2.f.vi:

Details

Ventilation intakes/exhausts should be located to minimize adverse effects on pedestrian comfort along the sidewalk and within outdoor spaces.

Architectural Response

The mechanical louvers are either located at the roof or along the loading zones. Therefore, the mechanical and services are located above or outside of range which impact those within the Civic Spaces. Subject to continued coordination.

See Drawing(s) D2.2- A501



6.7.10.H.2.f.viii:

Details

Architectural details, ornamentation, and articulations should be used with building fenestration to create a harmonious composition that is consistent throughout the building, so that the building appears as a unified whole and not as a collection of unrelated parts that adds to the impression of bulk.

Architectural Response

The facade articulation is carried through the base, middle, and top of the project at various scales and using similar materials so the composition is built from a similar language.

See Drawing(s) D2.2- A700, A900



6.7.10.H.2.g.i:


Structured Parking

Parking spaces of the top floor of any above ground parking structure should be fully enclosed within the structure or, if unroofed, substantially covered by solar panels. When fully enclosed within the structure, a green roof or athletic field is encouraged.

Architectural Response

The top of the parking garage structure will be covered by a roof. In some areas, the garage roof will also serve as the floor for the residential bar above, and in other locations the garage roof will be improved with landscape and hardscape to serve as the outdoor amenity space for the residential units required by zoning.

See Drawing(s) D2.2- A900



D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)

31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC

225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER

HOWELER + YOON
ARCHITECTURE

150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
ZONING NARRATIVE

DRAWING NUMBER

D2.2- X004

ZONING CONFORMANCE

6.7.8.F.1:

Pedestrian orientation

The D2.2 building lot fronts a Civic Space lot, which requires additional considerations:
b. Vehicular access to parking lots, structured parking, loading facilities, and service areas must be from an Alley or secondary frontage.

Architectural Response

The parking garage entry, and loading facilities are located off of Alleys, along secondary frontages.

See Drawing(s) D2.2- A100



6.7.10.A.1.a:

Lot Standards: Number of buildings

All buildings and structures must be located at or behind any required minimum front, side, or rear setback except as indicated in §6.7.8.A.2.c

i. One (1) principal Building Type may be built on each lot.

Architectural Response

Lot D2.2 is a General Building, permitted by right per table 6.7.10 (A) within High Rise Districts.

Table 6.7.10 (A) – Permitted Building Types						
		General Building	Commercial Building	Laboratory Building	Mid-Rise Podium Tower	Lined Parking Garage
Sub-District	Apartment Building					
Commercial Core	N	Y	Y	Y	N	N
Mid-Rise 4	Y	Y	Y	Y	N	N
Mid-Rise 5	Y	Y	Y	Y	N	N
High Rise	L	Y	Y	Y	Y	Y

6.7.10.A.2.i:

Building Placement: Setbacks


- i. All buildings and structures must be located at or behind any required minimum front, side, or rear setback except as indicated in §6.7.8.A.2.c
ii. The facade of a principal building must be built at or in front of any maximum front setback for each story of a building. The façade of upper stories may not project forward of the façade of the first story except through the use of permitted building components and building frontages.

6.7.10.C.2- General Building – a multi story Building Type with ground floor commercial uses. (HR)	
Primary & Secondary Front Setback :	2’ min, 15’ max.
Side setback:	0’
Rear setback:	10’
Primary front parking setback	30’

Architectural Response

The building placement does not exceed the minimum setback line

See Drawing(s) D2.2- G400




6.7.10.A.3.b.i:

Height and Massing- Facade Orientation

The facade of a principal building must be built parallel to a front lot line or to the tangent of a curved front lot line.

Architectural Response

The principal building facade is parallel to the front lot line



6.7.10.A.3.c.i:


Height and Massing- Facade Build Out

Façade build out is a ratio of building width to lot width, measured at the maximum front setback line.
6.7.10.C.2- General Building – A multi story building type with ground floor commercial uses. (HR)
§6.7.8.A.2.c.5 (Mid-Rise Podium Tower- HR)
Building width 200’ max.
Primary facade. 80% min.
Secondary Facade. 65% min.

Architectural Response

Lot Width:	152’
Building width:	135’
Primary facade:	88.8%
Secondary facade:	NA

See Drawing(s) D2.2- A100, G400



6.7.10.A.3.d:

Height and Massing- Building Height

6.7.10.C.2- General Building – a multi story Building Type with ground floor commercial uses. (HR)
Building min. Height 3 Stories
Building max. Height 6 Stories, 80’
Ground story min. Height 14’
Upper story min. Height 10’

Architectural Response

Building height	6 Stories, 76’-8”
Ground story height	20’
Upper story height	11’-4”

See Drawing(s) D2.2- G400



6.7.10.A.4.c.i:

Uses and Features- Frontage Types

- i. A Storefront is a Frontage Type conventional for commercial uses featuring an at-grade principal entrance accessing an individual ground story space with substantial display windows for the display of goods, services, and signs.

iii. Display windows must extend to at least eight (8) feet above the grade of the Abutting sidewalk.
v. Storefront entrances may be recessed up to five (5) feet behind the plane of the facade, provided that the recessed area is no wider than fifteen (15) feet per individual entry.

Table 6.7.10 (C) – Frontage Type Dimensional Standards: Storefront	
Max. width	30’
Min. distance between fenestration	2’
Max. depth of recessed entry	5’

Table 6.7.10 (C) – Frontage Type Dimensional Standards: Lobby Entrance	
Max. width	30’
Min. distance between fenestration	2’
Max. depth of recessed entry	5’

Architectural Response

Storefront	
Width	8-20’
Distance between fenestration	5-17’
Depth of recessed entry	1’

Lobby Entry	
Width	6’
Distance between fenestration	6’
Depth of recessed entry	1’



D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RELP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER

HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
ZONING NARRATIVE

DRAWING NUMBER

D2.2- X005

6.7.10.A.4.e.ii:


Use and Occupancy- Commercial Space Depth

a. Ground story spaces intended for a commercial tenant must have a leasable area with the depth indicated for each Building Type on Table 6.7.10 (A). This depth must be provided for at least seventy percent (70%) of the floor area of the space, measured as the distance from the facade towards the interior of a building.

6.7.10.C.2- General Building – a multi story Building Type with ground floor commercial uses. (HR)		
Commercial Space depth min.	30'-0"	
Ground floor entrance spacing max.	30'-0"	

Architectural Response
The commercial leasable space has a depth of 30'-0" or more for 86% of the total leasable area. The ground floor entrances are spaced a max. of 30' apart.

See Drawing(s) D2.2- A100



6.7.10.G.2.c:

Building Design Standards- Facades

Facades must provide a frame for each storefront and lobby entrance in accordance with the following:

- i. A horizontal lintel or beam (architrave) and cornice extending across the full width of the building supported by columns, pilasters, or piers; or
- ii. A horizontal beam or fascia (architrave) positioned between columns, pilasters, or piers that extend from the upper stories of a building all the way to the ground.
- d. When present, the horizontal lintel, beam, or fascia (architrave) serves as the sign band for each storefront.

Architectural Response
Design guidelines will be developed for future retail uses to promote architectural diversity.

See Drawing(s) D2.2- A550




6.7.13.B.5.a:

Parking and Loading- Standard for All Off Street Motor Vehicle Parking

a. Access i. Off street motor vehicle parking in an underground facility, a Lined Parking Garage, or structure attached to a Mid-Rise Podium Tower building type must have a separate lobby from the lobby providing access to other principal uses. The lobbies may provide access to each other through and internal door, so long as the lobby dedicated to the off-street parking provides pedestrian access directly to a sidewalk or publicly accessible walkway.

Architectural Response
There are 300 vehicle parking spaces lined with retail along the primary street, and with an architectural screen along the east face fronting the residential neighborhood. There is pedestrian access provided directly from the sidewalk along the main civic plaza on Prospect.



6.7.13.C:

Parking and Loading- Bicycle Parking

a. To encourage and support the use of bicycles as a viable transportation option throughout the city and promote the use of bicycles at a rate that will help to achieve the mode share goals of the MASTER PLAN of the City of Somerville.
b. To provide long-term bicycle parking intended for residents or employees that provides security and protection from the weather.

3.c. Short-Term Bicycle Parking must be provided outside of a principal building and within fifty (50) feet of the principal entrance of the use served by the parking.

4.b. Long-Term Bicycle Parking must be provided in a well-lit, secure location within the same building as the use the parking is intended to serve or within an accessory structure located within two-hundred (200) feet of the principal entrance of the building.

Table 6.7.13 Required Bicycle Parking (Gross leasable sf)	
Residential Short term min. Unit	0.1 per Dwelling
Retail Short term min.	1.0 per 2,500 sf
Residential Long term min. unit	1.0 per Dwelling
Retail long term min.	1.0 per 10,000 sf
Arts and Creative Enterprise Short term min.	1.0 per 10,000 sf
Arts and Creative Enterprise Long term min.	1.0 per 3,000 sf

Architectural Response
Short and long term spaces to be calculated based on final program for final DSPR application

D2.2

UNION SQUARE
SOMERVILLE, MA



OWNER

UNION SQUARE RLP
MASTER DEVELOPER LLC (US2)
31 Union Square
Somerville, MA. 02143

ARCHITECT

bKL ARCHITECTURE LLC
225 North Columbus Drive
Suite 100
Chicago, IL. 60601
T 312.881.5999

REV #	ISSUE DATE	DESCRIPTION
01	AUGUST 20, 2018	DRC

SEAL



DESIGNER

HOWELER + YOON
ARCHITECTURE
150 Lincoln Street, 3A
Boston, MA. 02111
T 1.617.517.4101

SHEET TITLE
ZONING NARRATIVE

DRAWING NUMBER

D2.2- X006

